


# Drain: Kit rigola FB PRO LN200 Hext.260 muchii OZ gratar FONTA D400 iesire verticala DN200 1000x260x260 (04507133409/260)

## 04507133409/260

**1000 mm**  
HOSSZ

**260 mm**  
MAGASSÁG

**260 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

PRO series gutters of class D400 are intended for the drainage of surface rainwater from public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in public areas
- Long service life

### TERMÉKGARANCIA:

- 50 years - subject to compliance with assembly, storage and operation instructions


## SZERELÉS

We recommend that the PRO gutter drainage system be installed next to a manhole, every 20 linear meters of gutter, or, if the installation of a manhole is not possible, gutters with vertical discharge can be used. The system is closed with end plates on both sides.

- !** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems (interior or exterior), for bonding connections or joints.
- Curing time: 24h/2-3 mm
  - Operating temperature: -10° C to +40° C
  - Storage conditions: Store in a ventilated area at low temperatures.



## Tartozékok 04507133409/260



## JELLEMZŐK

|                                  |  |
|----------------------------------|--|
| <b>Termék neve</b>               | Kit rigola FB PRO LN200 Hext.260 muchii OZ gratar FONTA D400 iesire verticala DN200 1000x260x260 (04507133409/260) |
| <b>Termékkód</b>                 | 04507133409/260  |
| <b>EAN kód</b>                   | 6426282034863  |
| <b>Termékkategória</b>           | Rigole beton PRO (D400)  |
| <b>Brand</b>                     | Drain  |
| <b>Súly</b>                      | 94.20 kg   |
| <b>Készlet elérhetősége</b>      | Egyedi gyártású  |
| <b>Hossz, mm</b>                 | 1000   |
| <b>Szélesség, mm</b>             | 260  |
| <b>Névleges szélesség, mm</b>    | LN200  |
| <b>Külső magasság, mm (Hext)</b> | 260  |
| <b>Belső magasság, mm (Hint)</b> | 205  |
| <b>Terhességi osztály</b>        | D400   |
| <b>Ereszcsatorna anyaga</b>      | Szálas beton   |
| <b>Grill Anyaga</b>              | Öntöttvas  |
| <b>Garancia, hónap</b>           | 24   |
| <b>Termelő</b>                   | BETONIKA   |