


# Drain: Kit rigola FB PRO LN300 Hext.410 muchii OZ gratar FONTA D400 1000x360x410 (047071334/410)

## 047071334/410

**1000 mm**  
HOSSZ

**410 mm**  
MAGASSÁG

**360 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

They are designed for draining surface rainwater from public circulation areas, together with gutters of the same load class. They can be installed on shoulders, parking lots, and parking spaces for all types of road vehicles.

### MINŐSÉGI FELTÉTELEK:

- EU Regulation No. 305/2011
- SR EN 13598-1

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various widths and installation heights
- Suitable for industrial areas
- Long service life

### TERMÉKGARANCIA:

- 50 years - when installation, storage, and usage instructions are followed.

## SZERELÉS

The PRO drainage system can be installed without a collector manhole, as both ends of the gutter can be closed either with simple end pieces or with end pieces featuring an outlet. Discharge into the sewage system can be done through the vertical connection of the gutter or via the end plate with an outlet.

For projects exceeding 20 linear meters, we recommend installing a collector manhole every 20 meters to facilitate inspection and cleaning of the gutter line, thereby reducing the risk of clogging.




For efficient installation, we recommend using the G12M29C sealant. It is used for sealing gutters, pipes, and drainage systems.





- Curing time: 24h / 2-3 mm
- Application temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 047071334/410



**JELLEMZŐK**

<b>Termék neve</b>	Kit rigola FB PRO LN300 Hext.410 muchii OZ gratar FONTA D400 1000x360x410 (047071334/410)
<b>Termékkód</b>	047071334/410
<b>EAN kód</b>	6427669000228
<b>Termékkategória</b>	Rigole beton PRO (D400)
<b>Brand</b>	Drain
<b>Súly</b>	168.30 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Szélesség, mm</b>	360
<b>Névleges szélesség, mm</b>	LN300
<b>Külső magasság, mm (Hext)</b>	410
<b>Belső magasság, mm (Hint)</b>	300
<b>Terhességi osztály</b>	D400
<b>Ereszcsatorna anyaga</b>	Szálas beton
<b>Grill Anyaga</b>	Öntöttvas
<b>Garancia, hónap</b>	24
<b>Termelő</b>	BETONIKA