

Drain: Kit rigola FB PRO LN150

Hext.[260/255] muchii OZ gratar FONTA

D400 1000x160x260 (042071334/260-255)

042071334/260-255

1000 mm
HOSSZ

260 mm
MAGASSÁG

160 mm
SZÉLESSÉG



FELHASZNÁLÁS:

DRIVE CHANNELS of class D400 are used on the carriageway of roads (including pedestrian streets), shoulders and parking areas for all types of road vehicles.

MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ELŐNYÖK:


- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in public areas
- Long service life

TERMÉKGARANCIA:

- 50 years - subject to compliance with assembly, storage and operation instructions

SZERELÉS

The DRIVE channel drainage system can be installed without the use of a collector manhole. In this case, the system is closed with end plates on both sides and on the bottom or side of the channel.

 For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



JELLEMZŐK

| | |
|-------------------------------|---|
| Termék neve | Kit rigola FB PRO LN150 Hext.[260/255] muchii OZ gratar FONTA D400 1000x160x260 (042071334/260-255) |
| Termékkód | 042071334/260-255 |
| EAN kód | 6427669013563 |
| Termékkategória | Rigole beton cu pantă PRO (D400) |
| Brand | Drain |
| Súly | 73.00 kg |
| Készlet elérhetősége | Egyedi gyártású |
| Hossz, mm | 1000 |
| Szélesség, mm | 160 |
| Névleges szélesség, mm | LN150 |
| Magasság (M), mm | 260 |
| Bejárati magasság (mm) | 260 |
| Kimeneti magasság (mm) | 255 |
| Terhességi osztály | D400 |
| Ereszcsatorna anyaga | Szálas beton |
| Grill Anyaga | Öntöttvas |
| Gyártói kód | 042071334 |
| Rácsrögzítő rendszer | Csavar |
| Garancia, hónap | 24 |
| Termelő | BETONIKA |