

Drain: Kit camin PP scurgere burlan ORIZONTAL Gri D.Burlan 80/100/ D.out 100 A15 (STPTIM100A)

STPTIM100A

260 mm
LENGTH

212 mm
HEIGHT

134 mm
WIDTH



USAGE:

It is used on pedestrian surfaces, in areas designated for pedestrians and cyclists.

QUALITY CONDITIONS:

- EU Regulation No. 305/2011
- SR EN 13598-1

ADVANTAGES:


- Easy to handle and install
- Resistant to UV rays
- Long lifespan
- Connection for downspouts and pipes

LIFESPAN:

- 20 years - with proper installation, storage, and operational guidelines.

INSTALLATION

The EASY range catch basins allow direct connection of gutters or pipes. Connections are made quickly and easily. Detachment is also very easy and does not require special equipment

 For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems:



- Curing time: 24 hours/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

BASE sealing paste (sealant) for PP-FB-PB gutters, tube, 310 ml (G12M29-C)



CHARACTERISTICS

Product name	Kit camin PP scurgere burlan ORIZONTAL Gri D.Burlan 80/100/ D.out 100 A15 (STPTIM100A)
Product code	STPTIM100A
EAN code	6426282034078
Product category	Camine pluviale Easy
Brand	Drain
Weight	2.00 kg
Stock availability	Stockable
Length, mm	260
Width, mm	134
Height (H), mm	212
Pipe connection (DN)	DN100
Channel connection(LN)	Conexiune burlan: DN80/100
Load class	A15
Product Material	Polypropylene
Grate Material	Polypropylene
Colour	Grey
Producer code	TIM100A
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	SIME GROUP TRADING S.R.L.