


Drain: Kit rigola FB MEGA LN160 Hext.310 muchii OZ gratar FONTA E600 1000x245x310 (04300)

04300

1000 mm
LENGTH

310 mm
HEIGHT

245 mm
WIDTH



USAGE:

MAX E600 class gutters are used both on the carriageway of roads, shoulders and parking areas, as well as on surfaces subject to heavy loads, such as industrial areas, ports or docks.

QUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in public areas
- Long service life

LIFESPAN:

- 50 years - subject to compliance with assembly, storage and operation instructions

INSTALLATION

The MAX channel drainage system can be installed without the use of a collector manhole. In this case, the system is closed with end plates on both sides and on the bottom or side of the channel.



For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.




- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



Conexiune tronson



Conexiune camin colector



Conexiune tronson



**Disponibil si cu conexiune
verticala**

CHARACTERISTICS

Product name

Product code	04300
EAN code	6427669005919
Product category	Rigole beton MEGA (E600-F900)
Brand	Drain
Weight	0.00 kg
Stock availability	On order
Length, mm	1000
Width, mm	245
Nominal Length, mm	LN160
Exterior Height, mm (Hext)	310
Interior Height, mm (Hint)	263
Load class	E600
Channel material	Concrete
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	50
Producer	BETONIKA