



Drain: Kit camin PP EASY scurgere burlan 303x164x208 Maro D.Burlan 75/90/110/125 D.out110 Vertical A15 (817009-M)

817009-M

303 mm

208 mm

164 mm



USAGE:

It is used on pedestrian surfaces, in areas designated for pedestrians and cyclists.

QUALITY CONDITIONS:

- EU Regulation No. 305/2011
- SR EN 13598-1

ADVANTAGES:

- Easy to handle and install
- Resistant to UV rays
- Long lifespan
- · Connection for downspouts and pipes

LIFESPAN:

• 20 years - with proper installation, storage, and operational guidelines.

Pag. 1/3 www.vodaland.ro





INSTALLATION

The EASY range catch basins allow direct connection of gutters or pipes.
Connections are made quickly and easily.
Detachment is also very easy and does not require special equipment

For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems:



• Curing time: 24 hours/2-3 mm

• Temperature resistance: -40° C to +70° C

• Processing temperature: +5° C to +40° C

BASE sealing paste (sealant) for PP-FB-PB gutters, tube, 310 ml (G12M29-C) $\,$











CHARACTERISTICS	
Product name	
Product code	817009-M
EAN code	6426282033378
Product cathegory	Camine pluviale Easy
Brand	Drain
Weight	0.51 kg
Stock availability	Stockable
Length, mm	303
Width, mm	164
Height (H), mm	208
Pipe connection (DN)	110
Channel connection(LN)	Conexiune burlan: 75/90/110/125
Load class	A15
Product Material	Polypropylene
Grate Material	Polypropylene
Colour	Maro
Producer code	817009-M
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro