

Drain: Kit rigola PP EASY 2 LN100 Hext.70 gratar OZ A15 1000x125x70 (0881011)

0881011

1000 mm
LENGTH

70 mm
HEIGHT

125 mm
WIDTH



USAGE:

Pedestrian zones and cycling routes with low traffic intensity. They are ideal for private and residential developments.

QUALITY CONDITIONS:

- Compliant with SR EN 1433:2003
- Compliant with EU Regulation No. 305/2011
- Declaration of performance

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- Various widths and mounting heights
- Use in residential areas or private homes
- Long lifespan

LIFESPAN:

20 years - with proper installation, storage, and usage according to instructions.

INSTALLATION



The drainage system with channels can be installed without a collector chamber because both ends of the channel can be tightly sealed with end caps, and the discharge point towards the sewer network will be made through the vertical connection of the channel.

! For efficient installation, we recommend using the G12M29C sealant. It's used for sealing channels, pipes, and drainage systems.



- Curing time: 24h/2-3 mm
- Operating temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



Accessories 0881011



CHARACTERISTICS

Product name

Product code	0881011
EAN code	6426282039509
Product category	Rigole plastic Easy 2
Brand	Drain
Weight	1.79 kg
Stock availability	Stockable
Length, mm	1000
Exterior width, mm	125
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	70
Interior Height, mm (Hint)	50
Load class	A15
Channel material	Polypropylene
Grate Material	Galvanized Steel
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC