




# **Drain:** Kit rigola PP EASY 3 LN100 Hext.100 gratar OZ A15 1000x125x100 (088201)

# 088201

1000 mm LENGTH 100 mm HEIGHT 125 mm



### **USAGE:**

Pedestrian zones and cycling routes with low traffic intensity. They are ideal for private and residential developments

### **QUALITY CONDITIONS:**

- Compliant with SR EN 1433:2003
- Compliant with EU Regulation No. 305/2011
- Declaration of performance

### **ADVANTAGES:**

- Easy to handle and install
- UV-resistant
- · Various widths and mounting heights
- Use in residential areas or private homes
- Long lifespan

### LIFESPAN:

• 20 years - with proper installation, storage, and usage according to instructions.


Pag. 1/4 www.vodaland.ro





### **INSTALLATION**

The drainage system with channels can be installed without a collector chamber because both ends of the channel can be tightly sealed with end caps, and the discharge point towards the sewer network will be made through the vertical connection of the channel.



It's used for sealing channels, pipes, and drainage systems.

• Curing time: 24h/2-3 mm

• Operating temperature: +5°C to +40°C

• Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).









## Accessories 088201





Conexiune verticala PP EASY 3 pt rigola LN100 Hext.100 (6827)



Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)



Piesa trecere PP EASY 3 de la rigola LN100 Hext.100 la camin PP EASY (6824)



Placa capat PP EASY 3 pt rigola LN100 Hext.100 (6829)

Pag. 2/4 www.vodaland.ro











CHARACTERISTICS	
Product name	Kit rigola PP EASY 3 LN100 Hext.100 gratar OZ A15 1000x125x100 (088201)
Product code	088201
EAN code	6426282038922
Product cathegory	Rigole plastic Easy 3
Brand	Drain
Weight	2.00 kg
Stock availability	Stockable
Exterior width, mm	125
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	100
Interior Height, mm (Hint)	77
Load class	A15
Channel material	Polypropylene
Grate Material	Galvanized Steel
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 4/4 www.vodaland.ro