



Urban: Capac POLIMER COMPOZIT URBAN Negru rotund necarosabil/pietonal D.730, PL.600 Hext.60 pietonal A15 (30297-10)

30297-10

730 mm LENGTH / EXTERIOR DIAMETER 600 mm width / interior diameter



USAGE:

Composite covers are used to close and protect manholes used in sewer networks located in pedestrian areas with light traffic.

QUALITY CONDITIONS:

- SR EN 124-6
- EU Regulation No. 305/2011

ADVANTAGES:

- Durability;
- · Aesthetic design;
- Balanced ratio between load class and product mass;
- Warranty (2 years)
- · Easy to handle
- · Does not rust

LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions.


Pag. 1/3 www.vodaland.ro





INSTALLATION

Installation and commissioning will only be carried out in areas compliant with the product: pedestrian areas, with light traffic. Commissioning will be carried out by specialized personnel.



It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).



Accessories 30297-10





Capac POLIMER COMPOZIT URBAN Verde rotund necarosabil D.750 PL.540 Hext.80 A15 (30298-32V)

Pag. 2/3 www.vodaland.ro





CHARACTERISTICS

CHARACTERISTICS	
Product name	
Product code	30297-10
EAN code	6426282034931
Product cathegory	Capace compozit (A15 - B125)
Brand	Urban
Weight	20.00 kg
Stock availability	Stockable
Length, mm	-
Width, mm	-
Height (H), mm	60
Diameter (D, mm)	730
Interior diameter / Clear opening (mm)	600
Load class	pietonal
Product Material	Polimer Compozit
Fastening System	
Colour	Black
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro