

# Clean: Separator de Grasimi PE CLEAN debit 0.5l/s 520x340x380 Nisipiu (SGPE05- NS)

## SGPE05-NS

**520 mm**  
HOSSZ

**340 mm**  
MAGASSÁG

**380 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The polyethylene grease separator with a flow rate of 0.5 l/s is used to clean wastewater contaminated with fats, allowing the treated water to be reintroduced into the natural cycle, protecting both the environment and the sewage system.

### MINŐSÉGI FELTÉTELEK:

- Declaration of Conformity

### ELŐNYÖK:

- Helps prevent clogging of pipes.
- Contributes to protecting the environment.
- Combats unpleasant odors
- Comes with an easy-to-use inspection cover
- Easy to install

### TERMÉKGARANCIA:

- Lifespan 10 years - subject to installation, storage and operation instructions
- Warranty 2 years

## SZERELÉS

The grease separator can be installed both in private homes and in restaurants or canteens. It is mounted according to the manufacturer's instructions.

Equipment maintenance method:

- It is recommended to clean the sludge bag daily.
- Empty the separator at least once a week
- Cleaning the separator is necessary when a layer of approx. 2-3 cm of grease has been deposited on the walls. It is equipped with a drain valve, but it can also be removed from the place where it is mounted and washed with detergent and a water jet

**!** For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



## Tartozékok SGPE05-NS



SGPE05-AT Grease Separator PE CLEAN flow rate 0.5 l/s 520x340x380 Anthracite (SGPE05-AT)

---

SGPE05-NS Grease Separator PE CLEAN flow rate 0.5l/s 520x340x380 Sand (SGPE05-NS)

---

## JELLEMZŐK

|  |  |
|--|--|
| <b>Termék neve</b>                             | Separator de Grasimi PE CLEAN debit 0.5l/s 520x340x380 Nisipiu (SGPE05-NS) |
| <b>Termékkód</b>                               | SGPE05-NS  |
| <b>EAN kód</b>                                 | 6426282033286  |
| <b>Termékkategória</b>                         | Separatoare Grasimi PE   |
| <b>Brand</b>                                   | Clean  |
| <b>Súly</b>                                    | 6.60 kg  |
| <b>Készlet elérhetősége</b>                    | Tárolható  |
| <b>Hossz, mm</b>                               | 520  |
| <b>Szélesség, mm</b>                           | 340  |
| <b>Magasság (M), mm</b>                        | 380  |
| <b>Bemeneti csatlakozó átmérője (DNin) mm</b>  | 50   |
| <b>Kimeneti csatlakozó átmérője (DNout) mm</b> | 50   |
| <b>Termék anyaga</b>                           | Üvegszállal erősített poliészter (PAFS/GRP)                                |
| <b>Névleges áramlási sebesség (Q, l/s)</b>     | 0.5  |
| <b>Szín</b>                                    | Homok  |
| <b>Garancia, hónap</b>                         | 24   |
| <b>Termelő</b>                                 | FOP YAVOROSKYI ROSTYSLAV EDUARDOVYCH                                       |