


Clean: Separator de Grasimi PE CLEAN **debit 0.5l/s 520x340x380 Nisipiu (SGPE05-NS)**

SGPE05-NS

520 mm
LENGTH

340 mm
HEIGHT

380 mm
WIDTH



USAGE:

The polyethylene grease separator with a flow rate of 0.5 l/s is used to clean wastewater contaminated with fats, allowing the treated water to be reintroduced into the natural cycle, protecting both the environment and the sewage system.

QUALITY CONDITIONS:

- Declaration of Conformity

ADVANTAGES:

- Helps prevent clogging of pipes.
- Contributes to protecting the environment.
- Combats unpleasant odors
- Comes with an easy-to-use inspection cover
- Easy to install

LIFESPAN:

- Lifespan 10 years - subject to installation, storage and operation instructions
- Warranty 2 years

INSTALLATION

The grease separator can be installed both in private homes and in restaurants or canteens. It is mounted according to the manufacturer's instructions.

Equipment maintenance method:


- It is recommended to clean the sludge bag daily.
- Empty the separator at least once a week
- Cleaning the separator is necessary when a layer of approx. 2-3 cm of grease has been deposited on the walls. It is equipped with a drain valve, but it can also be removed from the place where it is mounted and washed with detergent and a water jet

! For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



Accessories SGPE05-NS



Plasa pentru Separator de Grasimi PE CLEAN eficienta 0.5 l/s (PL/SGPE05)

SGPE05-AT	Grease Separator PE CLEAN flow rate 0.5 l/s 520x340x380 Anthracite (SGPE05-AT)
-----------	--

SGPE05-NS	Grease Separator PE CLEAN flow rate 0.5l/s 520x340x380 Sand (SGPE05-NS)
-----------	---

CHARACTERISTICS

Product name	
Product code	SGPE05-NS
EAN code	6426282033286
Product category	Separatoare Grasimi PE
Brand	Clean
Weight	6.60 kg
Stock availability	Stockable
Length, mm	520
Width, mm	340
Height (H), mm	380
Inlet diameter, (DNin) mm	50
Outlet diameter, (DNout) mm	50
Product Material	Poliester armat cu fibră de sticlă (PAFS/GRP)
Debit nominal (Q, l/s)	0.5
Colour	Nisip
Warranty, months	24
Lifespan, years	10
Producer	FOP YAVOROSKYI ROSTYSLAV EDUARDOVYCH