

Urban: Capac FONTA URBAN rotund D.760 PL.600 Hext.100 EUROPE cu inchizator C250 (35258-45)

35258-45

760 mm

LENGTH / EXTERIOR DIAMETER

600 mm

WIDTH / INTERIOR DIAMETER



USAGE:

Cast Iron Covers in this class are used to close and protect manholes used in sewer networks located in public traffic areas, parking lots and on road surfaces, near sidewalk curbs and in non-traffic areas, without shoulders.

QUALITY CONDITIONS:

- SR EN 124
- EU Regulation No. 305/2011
- Declaration of Conformity

ADVANTAGES:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

LIFESPAN:

- 20 years - subject to compliance with assembly, storage and operation instructions.

INSTALLATION

Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.

 For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



CHARACTERISTICS

Product name	Capac FONTA URBAN rotund D.760 PL.600 Hext.100 EUROPE cu inchizator C250 (35258-45)
Product code	35258-45
EAN code	6426282033453
Product category	Capace fonta (B125 - F900)
Brand	Urban
Weight	47.00 kg
Stock availability	On order
Length, mm	-
Width, mm	-
Height (H), mm	100
Interior diameter / Clear opening (mm)	600
Exterior diameter (mm)	760
Load class	C250
Distributor	
Product Material	Cast Iron
Fastening System	Screw
Colour	Black
Forma	Rotund
Warranty, months	24
Lifespan, years	20
Producer	