

# Drain: Kit camin PP EASY scurgere burlan 314x140x221 Maro D.Burlan 90/110 D.out110 Orizontal A15 (817008-M)

## 817008-M

**315 mm**  
HOSSZ

**220 mm**  
MAGASSÁG

**140 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The EASY range of manhole kits are used for pedestrian surfaces, in areas intended for pedestrians and cyclists.

### MINŐSÉGI FELTÉTELEK:

- EU Regulation No. 305/2011
- SR EN 13598-1

### ELŐNYÖK:

- Easy to handle and install
- Resistant to UV rays
- Long lifespan
- Connection for downspouts and pipes

### TERMÉKGARANCIA:

- 20 years - with proper installation, storage, and operational guidelines.

## SZERELÉS



The EASY range catch basins allow direct connection of gutters or pipes. Connections are made quickly and easily. Detachment is also very easy and does not require special equipment

 For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems:



- Curing time: 24 hours/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

BASE sealing paste (sealant) for PP-FB-PB gutters, tube, 310 ml (G12M29-C)



## JELLEMZŐK

<b>Termék neve</b>	Kit camin PP EASY scurgere burlan 314x140x221 Maro D.Burlan 90/110 D.out110 Orizontal A15 (817008-M)
<b>Termékkód</b>	817008-M
<b>EAN kód</b>	4820149880709
<b>Termékkategória</b>	Camine pluviale Easy
<b>Brand</b>	Drain
<b>Súly</b>	1.00 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Hossz, mm</b>	315
<b>Szélesség, mm</b>	140
<b>Magasság (M), mm</b>	220
<b>Csőcsatlakozás (DN)</b>	110
<b>Ereszcsatorna-csatlakozás (LN)</b>	100
<b>Terhességi osztály</b>	A15
<b>Termék anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Polipropilén
<b>Szín</b>	Barna
<b>Gyártói kód</b>	817008-M
<b>Rácsrögzítő rendszer</b>	Kattintás
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC