

# Drain: Capac PP PIPE BASE pt camin D.400 A15 (se monteaza direct pe teava lisa DN400) (C34400)

## C34400

**0 mm**  
HOSSZ

**85 mm**  
MAGASSÁG

**400 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The covers intended to cover class A15 inspection chambers are installed in pedestrian and green areas, without traffic.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 124
- Declaration of conformity

### ELŐNYÖK:


Easy to handle and install  
Use in residential areas or private homes  
Long service life

### TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions.

## SZERELÉS

We recommend that the installation be done by specialized personnel.

 For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40° C
- Maximum storage temperature: 32° C

BASE sealant, construction products, 310 ml tube (G12M29-C).



**JELLEMZŐK**

<b>Termék neve</b>	Capac PP PIPE BASE pt camin D.400 A15 (se monteaza direct pe teava lisa DN400) (C34400)
<b>Termékkód</b>	C34400
<b>EAN kód</b>	6426282033798
<b>Termékkategória</b>	Accesorii PIPE BASE
<b>Brand</b>	Drain
<b>Súly</b>	2.00 kg
<b>Termelő</b>	MAGNAPLAST SP.Z.O.O