

# Drain: Kit rigola PP EASY 3 LN100

## Hext.100 gratar FONTA B125

### 1000x125x100 (0882023)

## 0882023

**1000 mm**  
HOSSZ

**100 mm**  
MAGASSÁG

**125 mm**  
SZÉLESSÉG



#### FELHASZNÁLÁS:

EASY B125 class channels are intended for rainwater drainage, they are used in areas with low traffic intensity, near sidewalks and in non-circulated areas, without shoulders and residential areas.

#### MINŐSÉGI FELTÉTELEK:

- Compliant with SR EN 1433:2003
- Compliant with EU Regulation No. 305/2011
- Declaration of performance

#### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various widths and mounting heights
- Long lifespan

#### TERMÉKGARANCIA:

- 20 years - with proper installation, storage, and usage according to instructions.

## SZERELÉS


The channels drainage system can be installed without a collector chimney because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutterchannel. For the correct operation and durability of the system, it is recommended to strictly follow the installation instructions provided by the manufacturer, as well as to have the installation work carried out by qualified and authorized personnel. Correct installation guarantees the optimal performance of the drainage system and prevents any problems arising during operation.

 For efficient installation, we recommend using the G12M29-C sealant. It's used for sealing channels, pipes, and drainage systems.




- Curing time: 24h/2-3 mm
- Operating temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 0882023





Placa capat PP EASY 3 pt rigola  
LN100 Hext.100 cu iesire  
orizontala D.110 (682909)

## JELLEMZŐK

<b>Termék neve</b>	Kit rigola PP EASY 3 LN100 Hext.100 gratar FONTA B125 1000x125x100 (0882023)
<b>Termékkód</b>	0882023
<b>EAN kód</b>	6426282035310
<b>Termékkategória</b>	Rigole plastic Easy 3
<b>Brand</b>	Drain
<b>Súly</b>	4.50 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Külső szélesség, mm</b>	125
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	100
<b>Belső magasság, mm (Hint)</b>	77
<b>Terhességi osztály</b>	B125
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Rácsrögzítő rendszer</b>	Csavar
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC