


Clean: Separator GRASIMI GRP GBase 7.0LS D1800 H1850 TN700L IN/OUT Ø160 (SGGLE7LS)

SGGLE7LS

1800 mm
ÁTMÉRŐ

1850 mm
MAGASSÁG/HOSSZ



FELHASZNÁLÁS:

GRP GREASE separators can be used in several areas of use:

- pre-treatment of water infected with vegetable or animal fats
- water from kitchens; factories; food industry production units;
- prevents clogging of sewage networks with fat deposits.

MINŐSÉGI FELTÉTELEK:

- Declaration of Performance
- In accordance with EU Regulation 305/2011
- ISO 9001

ELŐNYÖK:

- Different volumes for customized applications;
- Easy and fast installation and assembly;
- Optimized dimensions for transport;
- Allow the separator to be disassembled into segments, thus allowing easier handling during transport or on site.

ÉLETTARTAM:

- Warranty 2 years
- Lifespan 50 years

SZERELÉS





The assembly and commissioning are carried out according to the instructions provided by the manufacturer. This product is installed in pedestrian and road areas.

All optional accessories of the product will be sealed with mastic.



- !** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems;
- Curing time: 24h/2-3 mm
 - Temperature resistance: -40° C to +70° C
 - Processing temperature: +5° C to +40° C



- BASE sealant, construction products, tube, 310 ml (G12M29-C)



Tartozékok SGGLE7LS



No. crt.	Model / Coding	Nominal flow rate (l/s)	Diameter (mm)	Separator height (mm)	Inlet/outlet connection diameters	Calculated useful volume (liters)	Grease Volume (liters)	Sludge trap volume (liters)
1	SGGLE1LS	1	800	1230	110	503	130	105
2	SGGLE2LS	2	1000	1490	110	946	200	210
3	SGGLE3LS	3	1200	1500	110	1052	290	305
4	SGGLE4LS	4	1400	1600	110	1847	390	415
5	SGGLE5LS	5	1600	1750	110	2614	580	540
6	SGGLE7LS	7	1800	1850	160	3563	740	760
7	SGGLE10LS	10	2400	1810	160	4207	1100	1089
8	SGGLE15LS	15	2400	2100	200	5112	1690	1586

JELLEMZŐK

Termék neve	Separator GRASIMI GRP GBase 7.0LS D1800 H1850 TN700L IN/OUT Ø160 (SGGLE7LS)
Termékkód	SGGLE7LS
EAN kód	6427669001249
Termékkategória	Separatoare Grasimi GRP
Brand	Clean
Súly	310.00 kg
Készlet elérhetősége	Egyedi gyártású
Magasság (M), mm	1850
Belső átmérő / hézag (mm)	620
Bemeneti csatlakozó átmérője (DNin) mm	160
Kimeneti csatlakozó átmérője (DNout) mm	160
Termék anyaga	Üvegszállal erősített poliészter (PAFS/GRP)
Névleges áramlási sebesség (Q, l/s)	7
Teljes térfogat (Vt, liter)	4708
Hasznos térfogat (Vu, liter)	3563
Zsírmennyiség (Vg, liter)	740
Iszapfogó, (liter)	760
Rögzítőrendszer	
Garancia, hónap	24
Élettartam, évek	50
Termelő	FIBERICA