

Urban: Capac FONTA URBAN rotund D.667 PL.560 Hext.40 cu inchizator B125 (66594)

66594

667 mm
HOSSZ / KÜLSŐ ÁTMÉRŐ

560 mm
SZÉLESSÉG / BELSŐ ÁTMÉRŐ



FELHASZNÁLÁS:

Cast iron covers in this class are used to close and protect manholes used in sewer networks located on sidewalks, pedestrian areas and similar areas, parking lots or multi-storey car parks.

MINŐSÉGI FELTÉTELEK:

- SR EN 124-2
- Declaration of conformity

ELŐNYÖK:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions.

SZERELÉS

Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.

! For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



JELLEMZŐK

| | |
|----------------------------------|--|
| Termék neve | Capac FONTA URBAN rotund D.667 PL.560 Hext.40 cu inchizator B125 (66594) |
| Termékkód | 66594 |
| EAN kód | 6426282035563 |
| Termékkategória | Capace fonta (B125 - F900) |
| Brand | Urban |
| Súly | 20.00 kg |
| Készlet elérhetősége | Tárolható |
| Hossz, mm | 667.00 |
| Szélesség, mm | 667.00 |
| Magasság (M), mm | 40 |
| Belső átmérő / hézag (mm) | 560 |
| Külső átmérő (mm) | 667 |
| Terhességi osztály | B125 |
| Elosztó | VODALAND BALKAN SRL |
| Termék anyaga | Öntöttvas |
| Rögzítőrendszer | |
| Szín | Fekete |
| Forma | Kerek |
| Garancia, hónap | 24 |
| Termelő | MY WAY METAL DIS TICARET LTD.STI |