

# Drain: Kit rigola PP PRO LN100 Hext.96 muchii OZ gratar FONTA D400 1000x156x96 (080134)

## 080134

**1000 mm**  
HOSSZ

**96 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The PRO series channels are designed for draining surface rainwater from public traffic areas. They can be placed on the roadside, parking lots and stopping areas for all types of road vehicles.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011

### ELŐNYÖK:


- Easy to handle and install
- Resistant to UV rays
- Various widths and mounting heights
- Suitable for use in industrial areas
- Long lifespan

### TERMÉKGARANCIA:

- Installing the gutters according to the manufacturer's instructions can provide a lifespan of approximately 50 years.

## SZERELÉS


The PP gutter kits are characterized by optimized design and fixed installation of the grate with screws and nuts. At the edge of the gutter, metal reinforcement nozzles and anchors are installed.

 For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems:



- Curing time: 24 hours/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

BASE sealing paste for PP-FB-PB gutters, 310 ml tube (G12M29-C)



## JELLEMZŐK

<b>Termék neve</b>	Kit rigola PP PRO LN100 Hext.96 muchii OZ gratar FONTA D400 1000x156x96 (080134)
<b>Termékkód</b>	080134
<b>EAN kód</b>	6426282039585
<b>Termékkategória</b>	Rigole plastic PRO (D400)
<b>Brand</b>	Drain
<b>Súly</b>	12.00 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Szélesség, mm</b>	156
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	96
<b>Belső magasság, mm (Hint)</b>	58
<b>Terhességi osztály</b>	D400
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC