



Drain: Kit rigola PP PRO LN100 Hext.165 muchii OZ gratar FONTA D400 1000x160x165 (080034)

080034

1000 mm LENGTH 165 mm

160 mm



USAGE:

PRO series gutters are designed to drain surface rainwater from public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

QUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011

ADVANTAGES:

- · Easy to handle and install
- UV-resistant
- · Various installation widths and heights
- Use in industrial areas
- Long service life

LIFESPAN:

• Installing gutters according to the instructions provided by the manufacturer can provide a lifespan of approximately 50 years.


Pag. 1/3 www.vodaland.ro





INSTALLATION

Polypropylene gutter kits are characterized by optimized design and fixed mounting of the grating with bolts and nuts. Nozzles and metal reinforcement anchors are installed at the edge of the gutter.




It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm

- Temperature resistance: -40° C to +70° C

- Processing temperature: +5° C to +40° C

• BASIC sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



Accessories 080034





Piesa trecere PP BASE pt rigola LN100 Hext.120-155 (6850/2-0)



Piesa trecere PP BASE pt rigola LN100 Hext.155-200 (6850/0-4)



Placa capat PP BASE pt rigola LN100 Hext.150 (630-2)

Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	080034
EAN code	6426282039592
Product cathegory	Rigole plastic PRO (D400)
Brand	Drain
Weight	13.00 kg
Stock availability	On order
Length, mm	1000
Width, mm	160
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	165
Interior Height, mm (Hint)	120
Load class	D400
Channel material	Polypropylene
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro