

Urban: Sifon FONTA URBAN M125 400x400 iesire verticala Dn160 (33354/16-3)

33354/16-3

400 mm
LENGTH

162 mm
HEIGHT

400 mm
WIDTH



USAGE:

The ductile iron trap for sewage is a useful, pragmatic, and modern solution used for collecting rainwater and directing it toward underground sewage lines.

QUALITY CONDITIONS:

Compliant with SR EN 1253-1:2015.

ADVANTAGES:

- Attractive design
- Watertightness
- Thermal and mechanical resistance
- Use in residential areas or private homes
- Long lifespan
- Anti-slip

LIFESPAN:

50 years - with proper adherence to installation, storage, and operation instructions.

INSTALLATION





It can be installed in private premises, yards, industrial halls, paved paths, or in areas with light traffic resistance, underground or subterranean garages/parking lots, etc.

! For efficient installation, we recommend using the G12M29C sealant. It is used for sealing trenches, pipes, and drainage systems.



- Cure time: 24 hours for 2-3 mm thickness
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated space at low temperatures

BASE sealant, construction products, 310 ml tube (G12M29-C).



CHARACTERISTICS

Product name	Sifon FONTA URBAN M125 400x400 iesire verticala Dn160 (33354/16-3)
Product code	33354/16-3
EAN code	6427669001515
Product category	Sifoane Fonta
Brand	Urban
Weight	8.30 kg
Stock availability	Stockable
Length, mm	400
Width, mm	400
Height (H), mm	162
Interior diameter / Clear opening (mm)	213
Exterior diameter (mm)	-
Load class	M125
Product Material	Cast Iron
Fastening System	
Producer	