



# Drain: Sifon INOX STAINLESS 250x250 cu capac fante iesire verticala DN110 R50 250x250x314 (0522.10.11.2)

# 0522.10.11.2

250 mm

312 mm HEIGHT 250 mm



#### **USAGE:**

The stainless steel drain trap is a useful, pragmatic and modern solution and is used to evacuate wastewater and direct it to underground sewer columns.

## **QUALITY CONDITIONS:**

• According to SR EN 1253-1:2015

# **ADVANTAGES:**

- · Easy access for inspection and cleaning
- Easy to clean and disinfect
- Corrosion resistance
- Thermal resistance to detergents and disinfectants
- Use in the food industry
- · Long service life

#### LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions.

Pag. 1/3 www.vodaland.ro





### **INSTALLATION**

The commissioning of stainless steel siphons is carried out by specialized personnel, in compliance with the manufacturer's instructions and safety and stability requirements. Stainless steel siphons can also transport other types of industrial wastewater, provided that there is no risk of damage to the components or that they are harmful to health.

For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).









Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	0522.10.11.2
EAN code	6427669001638
Product cathegory	Sifoane pardoseală din inox
Brand	Drain
Weight	6.50 kg
Stock availability	On order
Length, mm	250
Width, mm	250
Height (H), mm	312
Pipe connection (DN)	110
Load class	R50
Product Material	Inox
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro