

# Drain: Sifon INOX STAINLESS 250x250 cu gratar tip grila antialunecare iesire verticala DN110 L15 250x250x314 (0522.10.11.3AS)

## 0522.10.11.3AS

**250 mm**  
HOSSZ

**312 mm**  
MAGASSÁG

**250 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The stainless steel drain trap is a useful, pragmatic and modern solution and is used to evacuate wastewater and direct it to underground sewer columns.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1253-1:2015

### ELŐNYÖK:

- Easy access for inspection and cleaning
- Easy to clean and disinfect
- Corrosion resistance
- Thermal resistance to detergents and disinfectants
- Use in the food industry
- Long service life

### ÉLETTARTAM:

- 20 years - subject to compliance with assembly, storage and operation instructions.

## SZERELÉS

The commissioning of stainless steel siphons is carried out by specialized personnel, in compliance with the manufacturer's instructions and safety and stability requirements. Stainless steel siphons can also transport other types of industrial wastewater, provided that there is no risk of damage to the components or that they are harmful to health.

**!** For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



Dimensional range:

0521.10.11.2	STAINLESS 200x200 stainless steel drain with slotted cover, vertical outlet DN110 200x200x278 (0521.10.11.2)
0521.10.11.3AS	STAINLESS 200x200 stainless steel drain with anti-slip grid type grate, vertical outlet DN110 200x200x278 (0521.10.11.3AS)
0522.10.11.2	STAINLESS 250x250 stainless steel siphon with slotted cover, vertical outlet DN110 250x250x314 (0522.10.11.2)
0522.15.11.2	STAINLESS 250x250 stainless steel trap with slotted cover, vertical outlet DN150 250x250x314 (0522.15.11.2)
0522.10.11.3AS	STAINLESS 250x250 stainless steel siphon with anti-slip grid type grate, vertical outlet DN110 250x250x314 (0522.10.11.3AS)
0522.15.11.3AS	STAINLESS 250x250 stainless steel trap with anti-slip grid type grate, vertical outlet DN150 250x250x314 (0522.15.11.3AS)
0523.15.11.3AS	STAINLESS 300x300 stainless steel drain with anti-slip grid type grate, vertical outlet DN150 300x300x344 (0523.15.11.3AS)
0523.15.11.2	STAINLESS 300x300 siphon with slotted cover, vertical outlet DN150 300x300x344 (0523.15.11.2)

**JELLEMZŐK**

<b>Termék neve</b>	Sifon INOX STAINLESS 250x250 cu gratar tip grila antialunecare iesire verticala DN110 L15 250x250x314 (0522.10.11.3AS)
<b>Termékkód</b>	0522.10.11.3AS
<b>EAN kód</b>	6427669001621
<b>Termékkategória</b>	Sifoane pardoseală din inox
<b>Brand</b>	Drain
<b>Súly</b>	5.75 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	250
<b>Szélesség, mm</b>	250
<b>Magasság (M), mm</b>	312
<b>Csőcsatlakozás (DN)</b>	110
<b>Terhességi osztály</b>	L15
<b>Termék anyaga</b>	Rozsdamentes acél
<b>Rácsrögzítő rendszer</b>	Kattintás
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC