

Drain: Sifon INOX STAINLESS 250x250 cu gratar tip grila antialunecare iesire verticala DN150 L15 250x250x314 (0522.15.11.3AS)

0522.15.11.3AS

250 mm
LENGTH

312 mm
HEIGHT

250 mm
WIDTH



USAGE:

The stainless steel drain trap is a useful, pragmatic and modern solution and is used to evacuate wastewater and direct it to underground sewer columns.

QUALITY CONDITIONS:

- According to SR EN 1253-1:2015

ADVANTAGES:

- Easy access for inspection and cleaning
- Easy to clean and disinfect
- Corrosion resistance
- Thermal resistance to detergents and disinfectants
- Use in the food industry
- Long service life

LIFESPAN:

- 20 years - subject to compliance with assembly, storage and operation instructions.

INSTALLATION




The commissioning of stainless steel siphons is carried out by specialized personnel, in compliance with the manufacturer's instructions and safety and stability requirements. Stainless steel siphons can also transport other types of industrial wastewater, provided that there is no risk of damage to the components or that they are harmful to health.

! For efficient installation, we recommend using G12M29C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



CHARACTERISTICS

Product name

Product code	0522.15.11.3AS
EAN code	6427669001607
Product category	Sifoane pardoseală din inox
Brand	Drain
Weight	5.66 kg
Stock availability	On order
Length, mm	250
Width, mm	250
Height (H), mm	312
Pipe connection (DN)	150
Load class	L15
Product Material	Inox
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC