

Urban: Capac OZ URBAN UNIFILL ASCUNS patrat 600x600 PL.500x500 Hext.120 Hin.80 cu inchizator B125 (30415.12-3)

30415.12-3

600 mm

HOSSZ / KÜLSŐ ÁTMÉRŐ

500 mm

SZÉLESSÉG / BELSŐ ÁTMÉRŐ



FELHASZNÁLÁS:

The Galvanized Steel Cover of this class is used to close and protect manholes used in sewer networks located on sidewalks, pedestrian areas and similar areas, parking lots or multi-storey car parks.

MINŐSÉGI FELTÉTELEK:

- SR EN 124-6
- EU Regulation No. 305/2011

ELŐNYÖK:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

ÉLETTARTAM:

- 20 years - subject to compliance with assembly, storage and operation instructions.

SZERELÉS


Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.

! For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



JELLEMZŐK

| | |
|----------------------------------|---|
| Termék neve | Capac OZ URBAN UNIFILL ASCUNS patrat 600x600 PL.500x500 Hext.120 Hin.80 cu inchizator B125 (30415.12-3) |
| Termékkód | 30415.12-3 |
| EAN kód | 6427669002215 |
| Termékkategória | Capace ascunse otel zincat (B125) |
| Brand | Urban |
| Súly | 19.71 kg |
| Készlet elérhetősége | Tárolható |
| Hossz, mm | 600 |
| Szélesség, mm | 600 |
| Magasság (M), mm | 120 |
| Belső átmérő / hézag (mm) | 500x500 |
| Terhességi osztály | B125 |
| Termék anyaga | Horganyzott acél |
| Rögzítőrendszer | surub |
| Garancia, hónap | 24 |
| Élettartam, évek | 20 |
| Termelő | VODALAND INDUSTRY LLC |