

Urban: Capac OZ URBAN UNIFILL ASCUNS patrat 690x690 PL.600x600 Hext.100 Hin.60 cu inchizator B125 (30416.10-3)


30416.10-3

690 mm

HOSSZ / KÜLSŐ ÁTMÉRŐ

690 mm

SZÉLESSÉG / BELSŐ ÁTMÉRŐ



FELHASZNÁLÁS:

The Galvanized Steel Cover of this class is used to close and protect manholes used in sewer networks located on sidewalks, pedestrian areas and similar areas, parking lots or multi-storey car parks.

MINŐSÉGI FELTÉTELEK:

- SR EN 124-6
- EU Regulation No. 305/2011

ELŐNYÖK:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

ÉLETTARTAM:

- 20 years - subject to compliance with assembly, storage and operation instructions.

SZERELÉS

Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.


! For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



JELLEMZŐK

Termék neve	Capac OZ URBAN UNIFILL ASCUNS patrat 690x690 PL.600x600 Hext.100 Hin.60 cu inchizator B125 (30416.10-3)
Termékkód	30416.10-3
EAN kód	6427669002000
Termékkategória	Capace ascunse otel zincat (B125)
Brand	Urban
Súly	23.22 kg
Készlet elérhetősége	Egyedi gyártású
Hossz, mm	690
Szélesség, mm	690
Magasság (M), mm	100
Belső átmérő / hézag (mm)	600x600
Terhességi osztály	B125
Termék anyaga	Horganyzott acél
Rögzítőrendszer	
Garancia, hónap	24
Élettartam, évek	20
Termelő	VODALAND INDUSTRY LLC