



Urban: Capac OZ URBAN UNIFILL ASCUNS patrat 700x700 PL.600x600 Hext.120 Hin.80 cu inchizator B125 (30416.12-3)

30416.12-3

700 mm LENGTH / EXTERIOR DIAMETER 700 mm width / interior diameter



USAGE:

The galvanized steel cover in this class is used for closing and protecting manholes in sewage networks located on sidewalks, pedestrian areas, and similar zones, as well as parking lots or multi-level parking structures.

QUALITY CONDITIONS:

- SR EN 124-6
- EU Regulation No. 305/2011

ADVANTAGES:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- · Easy to handle

LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions.

Pag. 1/3 www.vodaland.ro





INSTALLATION

Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel. For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm

- Temperature resistance: -40° C to +70° C - Processing temperature: +5° C to +40° C

• BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)









Pag. 2/3 www.vodaland.ro





CHARACTERISTICS

CHARACTERISTICS	
Product name	
Product code	30416.12-3
EAN code	6427669002222
Product cathegory	Capace ascunse otel zincat (B125)
Brand	Urban
Weight	25.12 kg
Stock availability	On order
Length, mm	700
Width, mm	700
Height (H), mm	120
Interior diameter / Clear opening (mm)	600x600
Load class	B125
Product Material	Galvanized Steel
Fastening System	
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro