



Drain: Kit rigola PP PRO LN100 Hext.75 muchii OZ gratar FONTA D400 1000x160x75 (080513043-M)

080513043-M

1000 mm LENGTH 75 mm

160 mm



USAGE:

PRO series gutters are designed to drain surface rainwater from industrial areas with heavy traffic. They can be placed on highways, freight terminals and military terminals.

OUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- · Various installation widths and heights
- Use in industrial areas
- · Long service life

LIFESPAN:

• Installing gutters according to the instructions provided by the manufacturer can provide a lifespan of approximately 50 years.


Pag. 1/3 www.vodaland.ro





INSTALLATION

PP channel kits are characterized by optimized design and fixed mounting of the grating with bolts and nuts. Nozzles and metal reinforcement anchors are installed at the edge of the channel.




It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm

- Temperature resistance: -40° C to +70° C

- Processing temperature: +5° C to +40° C

• BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)









CHARACTERISTICS	
Product name	
Product code	080513043-M
EAN code	6427669001645
Product cathegory	Rigole plastic PRO (D400)
Brand	Drain
Weight	11.71 kg
Stock availability	On order
Length, mm	1000
Width, mm	160
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	75
Interior Height, mm (Hint)	134
Load class	D400
Channel material	Polypropylene
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	50
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro