

Drain: Kit rigola PP PRO LN100 Hext.135 muchii OZ gratar FONTA D400 1000x160x135 (080213043-M)

080213043-M

1000 mm
LENGTH

135 mm
HEIGHT

160 mm
WIDTH



USAGE:

PRO series gutters are designed to drain surface rainwater from public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

QUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in industrial areas
- Long service life

LIFESPAN:

- Installing gutters according to the instructions provided by the manufacturer can provide a lifespan of approximately 50 years.

INSTALLATION

Polypropylene gutter kits are characterized by optimized design and fixed mounting of the grating with bolts and nuts. Nozzles and metal reinforcement anchors are installed at the edge of the gutter.



! For efficient installation, we recommend using the sealant G12M29-C.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASIC sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



Accessories 080213043-M



Placa capat PP BASE cu stut
DN110 pt rigola LN100
Hext.100/120 (6308-2)



Plastic End Cap BASE for
channel LN100 Hext.120
(630120)

CHARACTERISTICS

Product name	Kit rigola PP PRO LN100 Hext.135 muchii OZ gratar FONTA D400 1000x160x135 (080213043-M)
Product code	080213043-M
EAN code	6427669001676
Product category	Rigole plastic PRO (D400)
Brand	Drain
Weight	12.40 kg
Stock availability	Stockable
Length, mm	1000
Width, mm	160
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	135
Interior Height, mm (Hint)	88
Load class	D400
Channel material	Polypropylene
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC