

Urban: Capac FONTA URBAN rotund D.820 PL.600 Hext.102 cu inchizator D400 (825910D)

825910D

820 mm

LENGTH / EXTERIOR DIAMETER

600 mm

WIDTH / INTERIOR DIAMETER



USAGE:

Covers and grates in class D400 are intended for areas of public traffic. They can be placed on roadsides, parking lots, and parking spaces for all types of road vehicles.

QUALITY CONDITIONS:

- Complies with SR EN 124-2
- EU Regulation No. 305/2011

ADVANTAGES:

- Use in industrial areas
- Easy to handle and install
- Long service life
- Balanced ratio between load class and product weight
- Anti-theft (secure and hinged lid-to-frame fastening)

LIFESPAN:

- 50-year lifespan - when installation, storage, and usage instructions are followed.

INSTALLATION

Installation and commissioning must be carried out only in areas corresponding to the product's load class, by qualified personnel.





For effective installation, we recommend using the G12M29C sealant – designed for sealing channels, pipes, and drainage systems.



- Curing time: 24h / 2-3 mm
- Application temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

Product type: BASE construction sealant, 310 ml tube (G12M29-C)



CHARACTERISTICS

Product name

Product code	825910D
EAN code	6427669002352
Product category	Capace fonta (B125 - F900)
Brand	Urban
Weight	42.00 kg
Stock availability	Stockable
Length, mm	820
Width, mm	820
Height (H), mm	102
Interior diameter / Clear opening (mm)	600
Exterior diameter (mm)	820
Load class	D400
Distributor	Vodaland Balkan SRL
Product Material	Cast Iron
Fastening System	
Colour	Black
Forma	Rotund
Warranty, months	24
Lifespan, years	20
Producer	UĞUR PAYZA