

# Urban: Capac FONTA URBAN rotund D.820 PL.600 Hext.102 cu inchizator D400 (825910D)

## 825910D

**820 mm**

LENGTH / EXTERIOR DIAMETER

**600 mm**

WIDTH / INTERIOR DIAMETER



### USAGE:

Covers and grates in class D400 are intended for areas of public traffic. They can be placed on roadsides, parking lots, and parking spaces for all types of road vehicles.

### QUALITY CONDITIONS:

- Complies with SR EN 124-2
- EU Regulation No. 305/2011

### ADVANTAGES:

- Use in industrial areas
- Easy to handle and install
- Long service life
- Balanced ratio between load class and product weight
- Anti-theft (secure and hinged lid-to-frame fastening)

### LIFESPAN:

- 50-year lifespan - when installation, storage, and usage instructions are followed.

## INSTALLATION

Installation and commissioning must be carried out only in areas corresponding to the product's load class, by qualified personnel.





For effective installation, we recommend using the G12M29C sealant - designed for sealing channels, pipes, and drainage systems.



- Curing time: 24h / 2-3 mm
- Application temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

Product type: BASE construction sealant, 310 ml tube (G12M29-C)



## CHARACTERISTICS

<b>Product name</b>	Capac FONTA URBAN rotund D.820 PL.600 Hext.102 cu inchizator D400 (825910D)
<b>Product code</b>	825910D
<b>EAN code</b>	6427669002352
<b>Product category</b>	Capace fonta (B125 - F900)
<b>Brand</b>	Urban
<b>Weight</b>	42.00 kg
<b>Stock availability</b>	Stockable
<b>Length, mm</b>	820
<b>Width, mm</b>	820
<b>Height (H), mm</b>	102
<b>Interior diameter / Clear opening (mm)</b>	600
<b>Exterior diameter (mm)</b>	820
<b>Load class</b>	D400
<b>Distributor</b>	Vodaland Balkan SRL
<b>Product Material</b>	Cast Iron
<b>Fastening System</b>	
<b>Colour</b>	Black
<b>Forma</b>	Rotund
<b>Warranty, months</b>	24
<b>Lifespan, years</b>	20
<b>Producer</b>	UĞUR PAYZA