

Drain: Flansa de trecere INOX STAINLESS tip A pentru rigola LN100 conexiune sifon 160x177 (992307)

992307

160 mm
LENGTH

177 mm
HEIGHT

3 mm
WIDTH



USAGE:

Stainless steel flanges play an important role in industrial piping systems and installations. They are connecting elements that allow for connection.

QUALITY CONDITIONS:

- Declaration of conformity

ADVANTAGES:

- Easy to handle and install
- Resistant to UV rays
- Use in residential areas or private homes
- Long service life

LIFESPAN:

- 10 years - subject to compliance with assembly, storage and operation instructions.

INSTALLATION

Drainage accessories are purchased separately.

We recommend that installation be carried out by specialized personnel.

! For efficient installation, we recommend using the sealant G12M29-C.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)

Accessories 992307



Rigola INOX STAINLESS modulara LN100 H90 1000x160x90 (992222)



Rigola INOX STAINLESS tip L modulara LN100 H90 515X515X90 (992242)



Rigola INOX STAINLESS tip T modulara LN100 H90 515x500x90 (992262)



Sifon INOX STAINLESS 300x300 pentru rigola modulara LN100, iesire verticala DN110 cu gratar tip fante M125 (992394-4)

CHARACTERISTICS

Product name	Flansa de trecere INOX STAINLESS tip A pentru rigola LN100 conexiune sifon 160x177 (992307)
Product code	992307
EAN code	6427669002741
Product category	Accesorii INOX
Brand	Drain
Weight	0.34 kg
Stock availability	Stockable
Length, mm	160
Width, mm	3
Height (H), mm	177
Channel connection(LN)	
Product Material	Inox
Fastening System	
Producer	VODALAND INDUSTRY LLC