



Drain: Rigola INOX STAINLESS tip T modulara LN150 H80 515x500x80 (992862)

992862

515 mm

80 mm HEIGHT 210 mm WIDTH



USAGE:

Modular channels made of AISI304 stainless steel are designed for collecting wastewater inside buildings, offering increased safety, corrosion resistance, environmental and food protection.

QUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011

ADVANTAGES:

- safety and health
- resistance to high and low temperatures
- protection of food and the environment
- durable and corrosion-resistant material
- high resistance in aggressive environments
- hygienic surfaces, easy to clean

LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions.

Pag. 1/4 www.vodaland.ro





INSTALLATION

The modular installation system ensures easy and durable assembly, with the possibility of connecting to drain points directly via the gutter or via end plates with pipe connection.

*Attention: a stainless steel transition flange is used for the connection to the siphon.

We recommend installation in areas suitable for the load class, by specialized personnel. For efficient installation, we recommend using the sealant G12M29C.

It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).









Accessories 992862





Flansa de trecere INOX STAINLESS pentru rigola LN150 conexiune sifon (992907)



Gratar INOX STAINLESS tip fante pentru rigola LN150 M125 498x176x30 (990341)



Placa de capat INOX STAINLESS pentru rigola LN150 210x107x15 (992901)



Rigola INOX STAINLESS modulara LN150 H80 1000x210x80 (992822)

Pag. 2/4 www.vodaland.ro







Rigola INOX STAINLESS tip L modulara LN150 H80 515x515x80 (992842)



Sifon INOX STAINLESS 300x300 pentru rigola modulara LN150, iesire verticala DN110 cu gratar tip fante M125 (992994-4)

Stainless steel drains and siphons can be used both in industrial spaces, factories or professional kitchens, and in private, residential areas. The most common areas of use, which require protection against bacteria and increased resistance of drainage systems, are:

- food industry
- pharmaceutical/medical industry
- professional kitchens
- chemical laboratories
- processing/packaging plants
- clinics or recovery centers
- hotels
- hospitals

Pag. 3/4 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	992862
EAN code	6427669002574
Product cathegory	Rigole inox modulare
Brand	Drain
Weight	4.55 kg
Length, mm	515
Width, mm	210
Nominal Length, mm	LN150
Exterior Height, mm (Hext)	80
Load class	L15
Product Material	Inox
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 4/4 www.vodaland.ro