

# Drain: Placa de capat INOX STAINLESS tip A cu stut DN100 pentru rigola LN100 130x160x149 (992330)

## 992330

**160 mm**  
LENGTH

**149 mm**  
HEIGHT

**130 mm**  
WIDTH



### USAGE:

End plates are used to secure gutters, close them at the ends and connect directly to the pipe.

### QUALITY CONDITIONS:

- Declaration of conformity

### ADVANTAGES:

- Easy to handle and install
- Resistant to UV rays
- Use in residential areas or private homes
- Long service life

### LIFESPAN:

- 10 years - subject to compliance with assembly, storage and operation instructions.

## INSTALLATION

Drainage accessories are purchased separately.

We recommend that installation be carried out by specialized personnel.

**!** For efficient installation, we recommend using the sealant G12M29-C.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)

## Accessories 992330



Rigola INOX STAINLESS  
modulara LN100 H90  
1000x160x90 (992222)



Rigola INOX STAINLESS tip L  
modulara LN100 H90  
515X515X90 (992242)



Rigola INOX STAINLESS tip T  
modulara LN100 H90  
515x500x90 (992262)

**CHARACTERISTICS**

<b>Product name</b>	Placa de capat INOX STAINLESS tip A cu stut DN100 pentru rigola LN100 130x160x149 (992330)
<b>Product code</b>	992330
<b>EAN code</b>	6427669029199
<b>Product category</b>	Accesorii INOX
<b>Brand</b>	Drain
<b>Weight</b>	1.87 kg
<b>Stock availability</b>	On order
<b>Length, mm</b>	160
<b>Width, mm</b>	130
<b>Height (H), mm</b>	149
<b>Channel connection(LN)</b>	100
<b>Product Material</b>	Inox
<b>Fastening System</b>	
<b>Producer</b>	VODALAND INDUSTRY LLC