



Drain: Bordura PB MONO LN100 H300 D400 iesire orizontala DN110-160 1000x150x300 (70914)

70914

1000 mm LENGTH 300 mm

150 mm WIDTH



USAGE:

The MONO polymer concrete curb is a construction element frequently used to delimit and stabilize various exterior surfaces.

QUALITY CONDITIONS:

- According to EU Regulation No. 305/2011
- Declaration of Performance

ADVANTAGES:

- Increased resistance to freeze-thaw, corrosion, UV, traffic.
- Reduced weight compared to classic concrete.
- Easy installation due to dimensional accuracy.
- High durability over time, without frequent maintenance.

LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions


Pag. 1/3 www.vodaland.ro





INSTALLATION

The polymer concrete curb drainage system can be installed without a collector manhole because it has an inspection cover.



It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: $+5^{\circ}$ C to $+40^{\circ}$ C
- Maximum storage temperature: 32° C BASE sealant, construction products, 310 ml tube (G12M29-C).





Section connection



Connection chimney collector



End plate connection

Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	70914
EAN code	6427669000839
Product cathegory	Borduri de drenaj
Brand	Drain
Weight	45.10 kg
Stock availability	On order
Length, mm	1000
Width, mm	150
Height (H), mm	300
Pipe connection (DN)	110, 160
Channel connection(LN)	100
Load class	D400
Distributor	Vodaland Balkan SRL
Product Material	Polymer concrete
Warranty, months	24
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro