

## Drain: Placa capat PP BASE pt rigola LN100 Hext.150 (630-2)

### 630-2

**156 mm**  
HOSSZ

**38 mm**  
MAGASSÁG

**146 mm**  
SZÉLESSÉG



#### FELHASZNÁLÁS:

End plates are used to secure gutters and close them at the ends.  
This product is purchased separately.

#### MINŐSÉGI FELTÉTELEK:

- According to regulation 305/2011

#### ELŐNYÖK:

- Easy to handle and install
- Resistant to UV rays
- Use in residential areas or private homes
- Long service life

#### TERMÉKGARANCIA:

- 10 years - subject to compliance with assembly, storage and operation instructions.

## SZERELÉS

Drainage accessories are purchased separately.

We recommend that installation be carried out by specialized personnel.



**!** For efficient installation, we recommend using G12M29C sealant.

It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm

- Operating temperature: -10° C to +40° C

- Storage conditions: Store in a ventilated area at low temperatures.



**JELLEMZŐK**

|                         |  |
|-------------------------|--|
| <b>Termék neve</b>      | Placa capat PP BASE pt rigola LN100 Hext.150 (630-2) |
| <b>Termékkód</b>        | 630-2  |
| <b>EAN kód</b>          | 6427669002338  |
| <b>Termékkategória</b>  | Accesorii BASE                                       |
| <b>Brand</b>            | Drain  |
| <b>Súly</b>             | 0.69 kg  |
| <b>Hossz, mm</b>        | 156  |
| <b>Szélesség, mm</b>    | 146  |
| <b>Magasság (M), mm</b> | 38   |
| <b>Elosztó</b>          | Vodaland Balkan SRL                                  |
| <b>Termék anyaga</b>    | Polipropilén   |
| <b>Szín</b>             | Fekete   |
| <b>Termelő</b>          | VODALAND INDUSTRY LLC                                |