


Drain: Conexiune verticala PP EASY 2 pt rigola LN100 Hext.70 (6825)

6825

10 mm
LENGTH

10 mm
HEIGHT

10 mm
WIDTH



USAGE:

The vertical connection links drainage channels to the drainage system, enabling the vertical discharge of collected water.

QUALITY CONDITIONS:

- Declaration of conformity
- Approval + Technical Agreement

ADVANTAGES:


- Easy to handle and install
- UV resistant
- Suitable for residential areas or private homes
- Long lifespan

LIFESPAN:

- 10 years - with proper installation, storage, and operational guidelines.

INSTALLATION

Accessories are purchased separately. We recommend installation by specialized personnel in accordance with installation guidelines.

 For efficient installation, we recommend using the G12M29C sealant. It's used for sealing channels, pipes, and drainage systems.



- Curing time: 24h/2-3 mm
- Operating temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



CHARACTERISTICS

Product name**Product code**

6825

EAN code

6424589099912

Product category

Accesorii Easy

Brand

Drain

Weight

0.07 kg

Stock availability

Stockable

Distributor

VODALAND BALKAN SRL

Producer

VODALAND INDUSTRY LLC