

Drain: Kit rigola PP BASE LN100 Hext.80 gratar FONTA protector (antiderapare) C250 1000x156x80 (08010203032)

08010203032

1000 mm
HOSSZ

80 mm
MAGASSÁG

145 mm
SZÉLESSÉG



FELHASZNÁLÁS:

BASE class C250 gutters are intended for rainwater drainage, they are used in public traffic areas, parking lots and on road surfaces, near sidewalk curbs and in non-circulated areas, without shoulders.

MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ELŐNYÖK:

- Easy to handle and install
- UV resistant
- Various installation widths and heights
- Stock availability
- Long service life


TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions

SZERELÉS

The channels drainage system can be installed without a collector chimney because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutterchannel. For the correct operation and durability of the system, it is recommended to strictly follow the installation instructions provided by the manufacturer, as well as to have the installation work carried out by qualified and authorized personnel. Correct installation guarantees the optimal performance of the drainage system and prevents any problems arising during operation.

- !** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.
- Curing time: 24h/2-3 mm
 - Operating temperature: +5° C to +40° C
 - Maximum storage temperature: 32° C
- BASE sealant, construction products, 310 ml tube (G12M29-C).



Tartozékok 08010203032



HU Etasant BASE, produse pentru constructii, tub 310 ml (G12M29-C)



JELLEMZŐK

Termék neve	Kit rigola PP BASE LN100 Hext.80 gratar FONTA protector (antiderapare) C250 1000x156x80 (08010203032)
Termékkód	08010203032
EAN kód	6426282039554
Termékkategória	Rigole plastic BASE (A15-C250)
Brand	Drain
Súly	6.50 kg
Készlet elérhetősége	Egyedi gyártású
Hossz, mm	1000
Külső szélesség, mm	145
Névleges szélesség, mm	LN100
Külső magasság, mm (Hext)	80
Belső magasság, mm (Hint)	56
Terhességi osztály	C250
Ereszcsatorna anyaga	Polipropilén
Grill Anyaga	Öntöttvas
Rácsrögzítő rendszer	Szj
Garancia, hónap	24
Termelő	VODALAND INDUSTRY LLC