

Drain: Kit rigola PP BASE LN100 Hext.60 gratar FONTA protector (antiderapare) C250 1000x156x60 (08050203032)

08050203032

1000 mm
HOSSZ

60 mm
MAGASSÁG

156 mm
SZÉLESSÉG



FELHASZNÁLÁS:

The BASE class C250 channels are designed for draining rainwater. They are used in public traffic areas, parking lots, and road surfaces near sidewalk curbs, as well as in non-traffic areas.

MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ELŐNYÖK:

- Easy to handle and install
- Resistant to UV rays
- Various widths and mounting heights
- Stock availability
- Long lifespan

TERMÉKGARANCIA:

- 20 years - with proper installation, storage, and operational guidelines.

SZERELÉS


The channels drainage system can be installed without a collector chimney because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutterchannel. For the correct operation and durability of the system, it is recommended to strictly follow the installation instructions provided by the manufacturer, as well as to have the installation work carried out by qualified and authorized personnel. Correct installation guarantees the optimal performance of the drainage system and prevents any problems arising during operation.

! For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems.



- Curing time: 24 hours/2-3 mm
- Operating temperature: +5° C to +40° C
- Maximum storage temperature: 32° C

BASE sealant, construction products, 310 ml tube (G12M29-C).



Tartozékok 08050203032





Placa capat PP BASE pt rigola
LN100 Hext.60 (630060)

JELLEMZŐK

Termék neve	Kit rigola PP BASE LN100 Hext.60 gratar FONTA protector (antiderapare) C250 1000x156x60 (08050203032)
Termékkód	08050203032
EAN kód	6426282039547
Termékkategória	Rigole plastic BASE (A15-C250)
Brand	Drain
Súly	6.50 kg
Készlet elérhetősége	Egyedi gyártású
Hossz, mm	1000
Külső szélesség, mm	156
Névleges szélesség, mm	LN100
Külső magasság, mm (Hext)	60
Belső magasság, mm (Hint)	42
Terhességi osztály	C250
Ereszcsatorna anyaga	Polipropilén
Grill Anyaga	Öntöttvas
Rácsrögzítő rendszer	Szj
Garancia, hónap	24
Termelő	VODALAND INDUSTRY LLC