


# Drain: Kit rigola PP BASE LN100 Htot.225 gratar OZ tip Fanta T H25mm A15-C250 1000x160x225 (080401T25)

## 080401T25

**1000 mm**  
HOSSZ

**225 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

BASE gutters are designed for rainwater drainage and can be used in pedestrian or public traffic areas, in private parking lots or terraces, balconies or commercial areas.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2003
- According to EU Regulation No. 305/2011

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in public areas
- Long service life

### ÉLETTARTAM:

- 20 years - subject to compliance with assembly, storage and operation instructions

## SZERELÉS

The BASE gutter drainage system can be installed without a manhole because both ends of the gutter can be closed with simple end pieces or with an outlet, and the discharge point to the sewer network will be made through the vertical connection of the gutter or through the end plate with outlet.


We recommend that in projects exceeding 20 linear meters, a manhole be installed every 20m for inspection and cleaning of the gutter line and minimizing the risk of clogging.

**!** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.






- Curing time: 24h/2-3 mm
- Operating temperature: +5° C to +40° C
- Maximum storage temperature: 32° C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 080401T25





## JELLEMZŐK

<b>Termék neve</b>	Kit rigola PP BASE LN100 Htot.225 gratar OZ tip Fanta T H25mm A15-C250 1000x160x225 (080401T25)
<b>Termékkód</b>	080401T25
<b>EAN kód</b>	6427669004226
<b>Termékkategória</b>	Rigole plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	5.20 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	156
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	225
<b>Belső magasság, mm (Hint)</b>	166
<b>Terhességi osztály</b>	C250
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Horganyzott Acél
<b>Rácsrögzítő rendszer</b>	Kattintás
<b>Garancia, hónap</b>	24
<b>Élettartam, évek</b>	20
<b>Termelő</b>	VODALAND INDUSTRY LLC