

# Drain: Kit camin PP BASE patrat cu pereti sifon si cos parafrunzar gratar FONTA FULGA A15 300x300 (083703334)

## 083703334

**300 mm**  
HOSSZ

**300 mm**  
MAGASSÁG

**300 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The BASE range of manhole kits are used for pedestrian surfaces, in areas intended for pedestrians and cyclists.

### MINŐSÉGI FELTÉTELEK:

- EU Regulation No. 305/2011
- SR EN 13598-1

### ELŐNYÖK:

- Easy to handle and install
- Resistant to UV rays
- Efficiently collects leaves and other debris
- Protects the sewage system
- Long lifespan

### TERMÉKGARANCIA:

- 10 years - with proper installation, storage, and operational guidelines.

## SZERELÉS

The BASE range manholes allow direct connection of pipes. Connections are quick and simple, with the connection slots pre-prepared at the factory. Detachment is very easy and does not require special equipment.

**!** For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing gutters, pipes, and drainage systems.



- Curing time: 24 hours/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

BASE sealant paste (sealant) for PP-FB-PB gutters, tube, 310 ml (G12M29-C)



## Tartozékok 083703334



HU Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)

## JELLEMZŐK

<b>Termék neve</b>	Kit camin PP BASE patrat cu pereti sifon si cos parafrunzar gratar FONTA FULGA A15 300x300 (083703334)
<b>Termékkód</b>	083703334
<b>EAN kód</b>	6427669001690
<b>Termékkategória</b>	Cămine plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	6.64 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Hossz, mm</b>	300
<b>Szélesség, mm</b>	300
<b>Magasság (M), mm</b>	297
<b>Csőcsatlakozás (DN)</b>	50, 75, 110, 160
<b>Ereszcsatorna-csatlakozás (LN)</b>	no
<b>Terhességi osztály</b>	A15
<b>Termék anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Szín</b>	Fekete
<b>Gyártói kód</b>	8370+3334
<b>Rácsrögzítő rendszer</b>	Kattintás
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC