

# Drain: Kit rigola PP BASE LN100 Hext.80 gratar OZ A15 1000x156x80 (0801020101)

## 0801020101

**1000 mm**  
HOSSZ

**80 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The BASE range of gutters is designed for use in pedestrian areas and cycling routes with low traffic intensity. Due to their constructive characteristics, they are ideal for applications in private and residential buildings, easily integrating into modern and functional layouts.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in residential areas or private homes
- Long service life


### TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions

## SZERELÉS

The channels drainage system can be installed without a collector chimney because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutterchannel. For the correct operation and durability of the system, it is recommended to strictly follow the installation instructions provided by the manufacturer, as well as to have the installation work carried out by qualified and authorized personnel. Correct installation guarantees the optimal performance of the drainage system and prevents any problems arising during operation.

- !** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.
- Curing time: 24h/2-3 mm
  - Operating temperature: +5° C to +40° C
  - Maximum storage temperature: 32° C
- BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 0801020101



**JELLEMZŐK**

<b>Termék neve</b>	Kit rigola PP BASE LN100 Hext.80 gratar OZ A15 1000x156x80 (0801020101)
<b>Termékkód</b>	0801020101
<b>EAN kód</b>	6426282039066
<b>Termékkategória</b>	Rigole plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	2.50 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	156
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	80
<b>Belső magasság, mm (Hint)</b>	56
<b>Terhességi osztály</b>	A15
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Horganyzott Acél
<b>Rácsrögzítő rendszer</b>	Szj
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC