

# Urban: Capac FONTA URBAN patrat cu rama 590x590 Hext.35 PL.490x490 B125 (EC6060B)


## EC6060B

**590 mm**

HOSSZ / KÜLSŐ ÁTMÉRŐ

**490 mm**

SZÉLESSÉG / BELSŐ ÁTMÉRŐ



### FELHASZNÁLÁS:

Cast Iron Covers in this class are used to close and protect manholes used in sewer networks located on sidewalks, pedestrian areas and similar areas, parking lots or multi-storey car parks.

### MINŐSÉGI FELTÉTELEK:

- SR EN 124-6
- EU Regulation No. 305/2011

### ELŐNYÖK:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

### TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions.

## SZERELÉS



Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.

**!** For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C

- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



## JELLEMZŐK

<b>Termék neve</b>	Capac FONTA URBAN patrat cu rama 590x590 Hext.35 PL.490x490 B125 (EC6060B)
<b>Termékkód</b>	EC6060B
<b>EAN kód</b>	6427669004127
<b>Termékkategória</b>	Capace fonta (B125 - F900)
<b>Brand</b>	Urban
<b>Súly</b>	20.40 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Hossz, mm</b>	590
<b>Szélesség, mm</b>	590
<b>Magasság (M), mm</b>	35
<b>Belső átmérő / hézag (mm)</b>	490
<b>Külső átmérő (mm)</b>	-
<b>Terhességi osztály</b>	B125
<b>Elosztó</b>	VODALAND BALKAN SRL
<b>Termék anyaga</b>	Öntöttvas
<b>Rögzítőrendszer</b>	Şurub, Balama
<b>Szín</b>	Fekete
<b>Forma</b>	Négyzet
<b>Garancia, hónap</b>	24
<b>Termelő</b>	CHANGZHOU BABEL INDUSTRIAL