

# Urban: Capac FONTA URBAN patrat cu rama 690x690 Hext.40 PL.600x600 B125 (EC7070B)


## EC7070B

**690 mm**

LENGTH / EXTERIOR DIAMETER

**600 mm**

WIDTH / INTERIOR DIAMETER



### USAGE:

Cast Iron Covers in this class are used to close and protect manholes used in sewer networks located on sidewalks, pedestrian areas and similar areas, parking lots or multi-storey car parks.

### QUALITY CONDITIONS:

- SR EN 124-1
- EU Regulation No. 305/2011

### ADVANTAGES:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

### LIFESPAN:

- 20 years - subject to compliance with assembly, storage and operation instructions.

## INSTALLATION

Installation and commissioning shall only be carried out in areas compliant with the product's load class. Commissioning shall be carried out by specialized personnel.


**!** For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;


- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



**Seciune laterala**



**Sectiune superioara**

## CHARACTERISTICS

<b>Product name</b>	Capac FONTA URBAN patrat cu rama 690x690 Hext.40 PL.600x600 B125 (EC7070B)
<b>Product code</b>	EC7070B
<b>EAN code</b>	6427669004134
<b>Product category</b>	Capace fonta (B125 - F900)
<b>Brand</b>	Urban
<b>Weight</b>	29.70 kg
<b>Stock availability</b>	Stockable
<b>Length, mm</b>	690
<b>Width, mm</b>	690
<b>Height (H), mm</b>	40
<b>Interior diameter / Clear opening (mm)</b>	600
<b>Exterior diameter (mm)</b>	-
<b>Load class</b>	B125
<b>Distributor</b>	VODALAND BALKAN SRL
<b>Product Material</b>	Cast Iron
<b>Fastening System</b>	Şurub, Balama
<b>Colour</b>	Black
<b>Forma</b>	Patrat
<b>Warranty, months</b>	24
<b>Lifespan, years</b>	20
<b>Producer</b>	CHANGZHOU BABEL INDUSTRIAL