

Urban: Capac FONTA URBAN dreptunghiular 1375x850 PL.1210x685 Hext.100 D400 (JRC12D400)


JRC12D400

1375 mm

LENGTH / EXTERIOR DIAMETER

685 mm

WIDTH / INTERIOR DIAMETER



USAGE:

D400 class covers and grates are intended for public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

QUALITY CONDITIONS:

- SR EN 124-2
- EU Regulation No. 305/2011

ADVANTAGES:

- Use in industrial areas
- Easy to handle and install
- Long service life
- Balanced ratio between load class and product weight

LIFESPAN:

- 50 years - subject to compliance with assembly, storage and operation instructions.

INSTALLATION

Installation and commissioning will only be carried out in areas compliant with the product's load class, by specialized personnel.


! For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;


- Curing time: 24h/2-3 mm
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C



- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



Seciune laterala



Sectiune superioara

CHARACTERISTICS

Product name	Capac FONTA URBAN dreptunghiular 1375x850 PL.1210x685 Hext.100 D400 (JRC12D400)
Product code	JRC12D400
EAN code	6427669032120
Product category	Capace fonta (B125 - F900)
Brand	Urban
Weight	208.50 kg
Stock availability	Stockable
Length, mm	1375
Width, mm	850
Height (H), mm	100
Interior diameter / Clear opening (mm)	1210
Exterior diameter (mm)	1375
Load class	D400
Distributor	VODALAND BALKAN SRL
Product Material	Cast Iron
Fastening System	Şurub, Balama
Colour	Black
Forma	Dreptunghiular
Warranty, months	24
Lifespan, years	50
Producer	CHANGZHOU BABEL INDUSTRIAL