

# Drain: Kit rigola FB BASE LN100 Hext.125 gratar OZ A15 1000x140x125 (0400020101)

## 0400020101

**1000 mm**  
HOSSZ

**125 mm**  
MAGASSÁG

**140 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The BASE range of gutters is designed for use in pedestrian areas and cycle paths with low traffic intensity. They are ideal for applications in private and residential buildings, easily integrating into modern and functional layouts.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in residential areas or private homes
- Long service life

### TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions

## SZERELÉS

The BASE gutter drainage system can be installed without a collector manhole because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutter.


**!** For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 0400020101



## JELLEMZŐK

<b>Termék neve</b>	Kit rigola FB BASE LN100 Hext.125 gratar OZ A15 1000x140x125 (0400020101)
<b>Termékkód</b>	0400020101
<b>EAN kód</b>	6427669003786
<b>Termékkategória</b>	Rigole beton BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	24.30 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	140
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	125
<b>Belső magasság, mm (Hint)</b>	95
<b>Terhességi osztály</b>	A15
<b>Ereszcsatorna anyaga</b>	Szálas beton
<b>Grill Anyaga</b>	Horganyzott Acél
<b>Rácsrögzítő rendszer</b>	Szj
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC