

Drain: Kit rigola FB BASE LN100 Hext.125 gratar OZ grila antitoc A15 1000x140x125 (040002020)

040002020

1000 mm
LENGTH

125 mm
HEIGHT

140 mm
WIDTH



USAGE:

The BASE range of channels is designed for use in pedestrian areas and cycling routes with low traffic intensity. Due to their constructive characteristics, they are ideal for applications in private and residential buildings, easily integrating into modern and functional layouts.

QUALITY CONDITIONS:

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- Various installation widths and heights
- Use in residential areas or private homes
- Long service life

LIFESPAN:

- 20 years - subject to compliance with assembly, storage and operation instructions

INSTALLATION

The Base gutter drainage system can be installed without a collector chamber because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutter.

! For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).



Accessories 040002020



CHARACTERISTICS

Product name	Kit rigola FB BASE LN100 Hext.125 gratar OZ grila antitoc A15 1000x140x125 (040002020)
Product code	040002020
EAN code	6427669010487
Product category	Rigole beton BASE (A15-C250)
Brand	Drain
Weight	27.00 kg
Stock availability	On order
Length, mm	1000
Exterior width, mm	140
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	125
Interior Height, mm (Hint)	95
Load class	A15
Channel material	Concrete
Grate Material	Galvanized Steel
Grate fastening system	Fastener
Warranty, months	24
Lifespan, years	20
Producer	BETONIKA