



Drain: Sifon PP EASY terasa/pardoseala 150x150 (SPP150150)

SPP150150

150 mm LENGTH 50 mm

150 mm WIDTH



USAGE:

Polypropylene siphons are a useful, pragmatic and modern solution and are used to collect rainwater and direct it to underground sewer columns, only in pedestrian areas.

QUALITY CONDITIONS:

• According to SR EN 124

ADVANTAGES:

- Attractive design
- Heat resistance
- Use in residential areas or private homes
- Impact resistance
- Easy to inspect

LIFESPAN:

• 20 years - subject to compliance with assembly, storage and operation instructions.


Pag. 1/3 www.vodaland.ro





INSTALLATION

Regular maintenance is enough to eliminate the risk of unpleasant odors.



It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).





Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	SPP150150
EAN code	8002255801250
Product cathegory	Sifoane plastic pentru terasă
Brand	Drain
Weight	0.57 kg
Stock availability	Stockable
Length, mm	150
Width, mm	150
Height (H), mm	50
Interior diameter / Clear opening (mm)	40
Exterior diameter (mm)	50/63
Load class	A15
Product Material	Polypropylene
Grate fastening system	Click
Producer	SIME GROUP TRADING S.R.L.

Pag. 3/3 www.vodaland.ro