

Drain: Placa capat OZ PRO cu stut DN110 pt rigola FB LN150 Hext.210-260 (61213409-1)

61213409-1

218 mm
HOSSZ

179 mm
MAGASSÁG

55 mm
SZÉLESSÉG



FELHASZNÁLÁS:

It is used to drain water collected by gutters by connecting a pipe with a diameter of DN110.

MINŐSÉGI FELTÉTELEK:

- Declaration of conformity

ELŐNYÖK:

- Easy to handle and install
- Resistant to UV rays
- Use in residential areas or private homes
- Long service life


ÉLETTARTAM:

- 20 years - subject to compliance with assembly, storage and operation instructions.

SZERELÉS

Drainage accessories are purchased separately.

We recommend that installation be carried out by specialized personnel.

 For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm

- Temperature resistance: -40° C to +70° C

- Processing temperature: +5° C to +40° C

- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



JELLEMZŐK

Termék neve	Placa capat OZ PRO cu stut DN110 pt rigola FB LN150 Hext.210-260 (61213409-1)
Termékkód	61213409-1
EAN kód	6427669032335
Termékkategória	Accesorii PRO
Brand	Drain
Súly	0.51 kg
Termelő	BETONIKA