

Terra: Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)

G12M29-C

33 mm
HOSSZ

350 mm
MAGASSÁG

33 mm
SZÉLESSÉG



FELHASZNÁLÁS:

The sealant is designed to provide a reliable and durable seal of connections and joints in drainage systems, both in interior and exterior projects. It can be used in a wide range of applications.

MINŐSÉGI FELTÉTELEK:

- The polymerization (bonding) process occurs in contact with moisture in the air.
- Resistant to fuels and petroleum derivatives (such as aviation fuel, gasoline, diesel, etc.), mold, moisture and UV radiation.
- Compatible with a wide range of materials, including steel, galvanized steel, stainless steel, concrete, polymer concrete, marble, granite, stone, glass, wood and plastic, without requiring prior priming.

ELŐNYÖK:

- Creates an excellent aesthetic layer, ensuring a high-quality finish.
- Does not flow on vertical or inclined surfaces when applied up to a thickness of 1 cm.
- Does not generate foam and does not drip, facilitating the precise calculation of the sealant consumption required to create the desired protective layer.
- Due to its excellent self-adhesion, it can be used as a universal adhesive for various applications.

TERMÉKGARANCIA:

Technical characteristics:

- Color: Grey
- Density: 1.2 g/cm³
- Consumption: 100 ml per 1 linear meter with a 1 cm expansion section
- Water resistance: Yes

SZERELÉS

Recommendations for use:

- Avoid prolonged and intense contact with skin.
- Wash hands after use.
- Avoid eating, drinking or smoking during use.
- Wear a protective mask during application to avoid inhaling fumes from the sealant.

! Curing time: Curing time may vary depending on humidity, weather conditions, thickness of the applied layer. A 24-hour interval is recommended for complete curing of a layer of approximately 1.2 x 2 cm.



1

JELLEMZŐK

Termék neve	Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)
Termékkód	G12M29-C
EAN kód	4630073670013
Termékkategória	Solutii de Etansare
Brand	Terra
Súly	0.38 kg
Készlet elérhetősége	Tárolható
Termelő	EMFI S.A.S.