



# Drain: Kit rigola FB PRO LN100 Hext.210 muchii OZ gratar FONTA D400 iesire verticala DN110 1000x160x210 (04007133409/210)

# 04007133409/210

1000 mm

210 mm

160 mm



### **USAGE:**

PRO series gutters of class D400 are intended for the drainage of surface rainwater from public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

### **QUALITY CONDITIONS:**

- According to SR EN 1433:2002
- According to EU Regulation No. 305/2011
- Declaration of Performance

### **ADVANTAGES:**

- · Easy to handle and install
- UV-resistant
- · Various installation widths and heights
- Use in public areas
- · Long service life

### LIFESPAN:

 50 years - subject to compliance with assembly, storage and operation instructions


Pag. 1/3 www.vodaland.ro





### **INSTALLATION**

We recommend that the PRO gutter drainage system be installed next to a manhole, every 20 linear meters of gutter, or, if the installation of a manhole is not possible, gutters with vertical discharge can be used. The system is closed with end plates on both sides.



It is used for sealing gutters, pipes and drainage systems (interior or exterior), for bonding connections or joints.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area at low temperatures.











Conexiune tronson

## Accessories 04007133409/210





Placa capat OZ PRO cu stut DN110 pt rigola FB LN100 Hext.190-230 (61013409-1)



Placa capat OZ PRO pt rigola LN100 Hext.170-230 (610134-1)



Placa capat PB PRO cu stut pt rigola FB LN100 Hext.210 (6701-09BD/210)

www.vodaland.ro Pag. 2/3





CHARACTERISTICS	
Product name	
Product code	04007133409/210
EAN code	6426282039752
Product cathegory	Rigole beton PRO (D400)
Brand	Drain
Weight	49.55 kg
Stock availability	On order
Length, mm	1000.00
Width, mm	160
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	210.00
Interior Height, mm (Hint)	166
Load class	D400
Channel material	Concrete
<b>Grate Material</b>	Cast Iron
Warranty, months	24
Lifespan, years	50
Producer	BETONIKA

Pag. 3/3 www.vodaland.ro